



PROCEEDING

The 4th International Conference on Sustainable Built Environment "Sustainable Bulding and Environment for Sophisticated Life"





PROCEEDING

The 4th International Conference on Sustainable Built and Environment **Sustainable Building and Environment for Sophisticated Life** October 12-14, 2016
Yogyakarta

Editorial Boards:

Prof. Dolores Foley University of Hawaii at Manoa

Prof. Thomas Boving University of Rhode Island, USA

Prof. Shunitz Tanaka Hokkaido University, Japan

Prof. Tsair Fuh Lin National Cheng Kung University, Taiwan

Dr. Widodo Brontowiyono Universitas Islam Indonesia, Indonesia

Eko Siswoyo, Ph.D. Universitas Islam Indonesia, Indonesia

Dr. Is Fatimah Universitas Islam Indonesia, Indonesia























Welcome Speech

The Dean - Faculty of Civil Engineering and Planning, Universitas Islam Indonesia

Assalamu'alaikum warrahmatullahi wabarakatuh The honorable:

- Rector of UII, Dr. Harsoyo,
- Conference Partners: University of Hawai'i at Manoa USA, University of Rhode Island USA, Hokkaido University – Japan, University of Rhode Island (URI), - USA, National Cheng Kung University – Taiwan, PT. Waskita Sangir Energi, Persatuan Insinyur Indonesia (PII) and Intakindo
- Keynote speakers: Prof. Dolores Foley, Prof. Thomas Boving, Prof. Masahiko Fujii, Prof. Tsair Fuh Lin, Mr. Ibnu Sina and Mr. Surahman
- Participants of the 4th ICSBE 2016
- Distinguished Guests, ladies and gentlemen,

First of all, praise be to Allah, the Cherisher and Sustainer of the world, for His blessing for all of us. He who has provided us a chance so that we could be here to share knowledge, ideas, solutions and experiences in the Fourth International Conference on Sustainable Built Environment (ICSBE) 2016. To the academicians, our colleagues from overseas universities, guests, participants, students and so on, please accept our gratitude, warm welcome and appreciation.

The sustainability of green infrastructure and environment is a common thing to be realized without compromising the ability of future generation. It must be done to prevent any adverseimpacts on our lives such as air and water pollution, land use and contamination, material depletion, impacts on human health, and climate change. Therefore, it is expected that the incorporation of sustainable development concept in terms of research, product, and values will enhance the energy performance of environment development and bring about building sustainability as well as disaster management. The needs should merge with the improvement of global development to create a sophisticated life.

The Fourth International Conference on Sustainable Built Environment (ICSBE) 2014 takes issues in this urgent agenda of **Sustainable Building and Environment for Sophisticated Life**". The conference plays role as the media to share wisdom and experiences, and develop knowledge as well as skill and recent technologies on the application of built environmental sciences and technologies.

Let me deeply express a special appreciation to the speakers: Prof. Dolores - University of Hawai'i at Manoa, USA, Prof. Thomas Boving – University of Rhode Island (URI), USA, Prof. Masahiko Fujii - Hokkaido University, Japan, Prof. Lin – Cheng Kung University, Taiwan, Mr. Surachman-PT. WaskitaSangir Energy, Mr. IbnuSina- Major of Banjarmasin. Our appreciation is also for all the participants who have actively written excellent research papers.

Finally, my special thanks go to the Rector of UII, all the steering and organizing committees for making this conference possible. It is desired to have a sustainable conference to be continuously held in the future times, as we are challenged to make a sustainable building and environment for a sophisticated life.

Wassalamu'alaikum warrahmatullahi wabarakatuh

Yogyakarta, October 12, 2016

Faculty of Civil Engineering and Planning (FCEP), Universitas Islam Indonesia

Dr.-Ing. WidodoBrontowiyono.

The Dean





Welcome Speech

The Rector - Universitas Islam Indonesia

The Honorable:

- Dean of Faculty of Civil Engineering and Planning Universitas Islam Indonesia, Dr. –Ing. Ir. Widodo, M.Sc
- All the keynote speakers of this conference: Prof. Dolores Foley (from University of Hawaii at Manoa, USA), Prof. Thomas Boving (from University of Rhode Island, USA), Prof. Tsair Fuh Lin (from National Cheng Kung, Taiwan), Ibnu Sina S.Pi., M.Si., (as a Mayor of Banjarmasin), Prof. Masahiko Fujii (from Hokkaido University), Ir. Surachman, M.Tech. (Director of PT. Waskita Sangir Energi)
- Distinguished participants, ladies, and gentlemen

Assalamu'alaikum Warahmatullahi Wabarakatuh,

On this special occasion, let me invite you to praise Allah SWT for His mercy and grace that we are able to attend the 4th International Conference on Sustainable Built Environment (ICSBE) today.

On behalf of the university, I warmly welcome you, all the impressive keynote speakers and participants. Welcome to Universitas Islam Indonesia, the oldest national university in the country.

Distinguished guests, ladies, and gentlemen,

In September 2015, The United Nations (UN) held The UN Development Summit that formally adopted the agreement "Transforming our World: The 2030 Agenda for Sustainable Development". The summit embraced the three dimensions of sustainability, such us economic, social and environment. The summit also aimed at ending global poverty and building a life of dignity for all. That was a generally accepted concept of Sustainable Development Goals (SDGs) in the world. The report of the 1987 World Environment and Development Committee argues that "Sustainable development is development that meets the needs of prevention without compromising the ability of future generations to meet their own needs".

Three dimensions of sustainable development which consist of society, economy and environment should exist together. Economic development should not depend on excessive resource consumption; meanwhile, environmental sustainable development should be considered more important. This 4th ICSBE 2016 is conducted to provide the opportunity for government officials, researchers, academicians, industry practitioners, non-governmental and multinational organization staffs and other stakeholders to share their views and experiences to build international collaborative networks on managing sustainable development.

Some important issues that will be presented on this seminar are about how to manage sustainable development through Green Infrastructure, Sustainable Resources Management, and Sustainable City. I do hope that this conference will inspire us to enhance our awareness to explore any possibilities in involving sustainable development. Also, I look forward to hearing discussions (on these topics) and I hope we can be inspired by the best practices we will hear from our distinguished speakers.

Finally, by reciting "Bismillahirrahmanirrahim" hereby I officially open the event of the 4th International Conference on Sustainable Built Environment (ICSBE). May Allah always guide us and lighten our step.

Thank you.

Wassalamu'alaikumWarahmatullahi Wabarakatuh.

Yogyakarta, October 12-14, 2016

Dr. Harsoyo

Rector





Preface

Dear Readers and Participants,

The 4th International Conference on Sustainable Built Environment (ICSBE), held in Yogyakarta on October 12-14, 2016, is biannual international conference organized by the Faculty of Civil Engineering and Planning, Islamic University of Indonesia (UII), Yogyakarta since 2010. The conference is aimed at nurturing the study, comprehension, and appreciation of the built environment.

The conference is intended to provide a forum for exchanging of ideas, sharing of knowledge, and dissemination of information on the study of the built environment from different parts of the world. It seeks to further develop regional and international network of academicians, professionals, and policy makers on the management of the built environment.

The first ICSBE was held in May 2010 in Yogyakarta, with the theme 'Enhancing Disaster Prevention and Mitigation', which attracted participants from 8 countries, who presented 74 selected papers. In response to the interests of the participants, the second was held in July 2012 with the theme "Livable Cities in Fast Growing Cities" and the third was held in October 2014 by theme "Resilience and Risk Reduction towards Well-being Society." There were more than 150 abstracts submitted and presented in the conference from several countries such as Indonesia, Malaysia, Philippine, Turkey, Thailand, USA, etc. Since the 4th ICSBE, ISSN (International Standard of Serial Number) is used instead of ISBN because the conference is organized regularly once in two years. In order to improve the quality of ICSBE, we select excellent papers and submit to international journal indexed by scopus (selected papers only).

The fourth ICSBE is supported by Hokkaido University, Japan, University of Hawaii at Manoa, USA, University of Rhode Island, USA, National Cheng Kung University, Taiwan, Government of Banjarmasin, PT. Waskita Sangir Energy, PII and Intakindo.

The theme of 4th ICSBE 2016 is Sustainable Building and Environment for Sophisticated Life and the sub-themes are: Green Infrastructure, Sustainable Resources Management, Sustainable City and Special Issues on Disaster management.

The 4th ICSBE is attended by worldwide participants such as Indonesia, Malaysia, Philippines, Thailand, India, Bangladesh, Australia, USA, Japan, Taiwan, etc. More than 140 abstracts and full papers were submitted and about 95 papers were selected to be presented during the conference.

Finally, on behalf of the organizing committee and organizing institution, we would like to deliver our gratitude to the participants and various parties for their financial support, especially to the Ministry of Research, Technology and Higher Education (RISTEK DIKTI).

Eko Siswoyo, Ph.D

Chairman of 4th ICSBE





Conference Organization

Organizing institutions

Universitas Islam Indonesia, Indonesia Hokkaido University, Japan University of Rhode Island (URI), USA National Cheng Kung University, Taiwan University Hawaii at Manoa, USA

Supporting Organization

Ministry of Research, Technology and Higher Education, the Republic of Indonesia Persatuan Insinyur Indonesia (PII) Intakindo Waskita Sangir Energi

Organizing Committee

Eko Siswoyo, PhD. (General Chair)
Dr. Arif Wismadi (Vice Chair)
Prima J. Romadhona (Deputy Chair)
Faizul Chazanah
Uswatun Khasanah
Puji Astuti
Febri Chairutami
Dheka Shara Pratiwi
Dika Erdiyawan

Steering Committee:

Dr.-Ing. Widodo Brontowiyono (UII, Indonesia) Miftahul Fauziah, Ph.D (UII, Indonesia) Hudori (UII, Indonesia) Noor Cholis Idham, Ph.D (UII, Indonesia)

Dr. Nyoman Suwartha (UI, Indonesia)

International Committee

Mochamad Teguh, Prof. Ir., MSCE, Ph.D (UII, Indonesia)
Prof. Thomas Boving (Rhode Island University, USA)
Prof. Shunitz Tanaka (Hokkaido University, Japan)
Prof. Masahiko Fujii (Hokkaido University, Japan)
Prof. Dolores Foley (University of Hawaii at Manoa, USA)
Prof. Tsair Fuh Lin (National Cheng Kung University, Taiwan)
Dr. Is Fatimah (UII, Indonesia)
Dr.-Ing. Widodo Brontowiyono (UII, Indonesia)
Prof. Joni Hermana (ITS, Indonesia)





Table of Content

Cov	ver Page	2	
We	lcome Speech	3	
Cor	nference Organization	6	
Tal	ole of Content	7	
Edi	torial	14	
Ke	ynote Speak <mark>ers' Abstract</mark>		
1.	THE RESILIENCE IMPERATIVE: STRENGTHENING COMMUNITY RESILIENCE THROUGH TRAINING Dolores Foley		15
2.	STORMWATER RUNOFF AND NONPOINT SOURCE POLLUTION MANAGEMENT WITH TREE FILTERS IN RHODE ISLAND, USA Thomas Boving	•	16
3.	EXPLORING AND DEVELOPING THE POTENCIAL OF RIVERS IN BANJARMASIN CITY Ibnu Sina		17
4.	ASSESSMENT OF THE POTENTIAL FOR DEVELOPING MINI/MICRO HYDROPOWER: A CASE STUDY IN BEPPU CITY, JAPAN		18
-	Masahiko Fujii, Soichiro Tanabe, Makoto Yamada, Taketoshi Mishima, Takahiro		
	Sawadate, and Shinji Ohsawa		
5.	BIOMASS AS A MODEL OF SUSTAINABLE RENEWABLE ENERGY AS A SUBSTITUTE FOR COAL-BASED THE COMMUNITY ECONOMY		19
	Surahman		
6.	HARMFUL CYANOBACTERIA AND THEIR METABOLITES IN DRINKING WATER SYSTEMS: BIOMOLECULAR MONITORING AND OXIDATION TREATMENT	1	20
	Tsair-Fuh Lin, Yi-Ting Chiu, Yi-Ting Chen, Che-Wei Chang, Yi-Hsuan Chen, and Hsiu-Lien Lin	9	
7.	RESTORATION OF URBAN RIVER AREA BASED ON THE M3K CONCEPT		21
	Widodo Brontowiyono		
Τo	pic: Green Infrastructure		
1.	THE STUDY OF THE COURTYARD EFFECTIVENESS AS SOLUTION FOR THE HOUSE DESIGN TRANSFORMATION PROBLEM ON NATURAL VENTILATION Silfia Mona Aryani, Ahmad Yusuf, Iik Endang Siti Wahyuningsih, Soepono Sasongko		22
2.	COMMUNITY PUBLIC SPACE AND CHILD DEVELOPMENT: A POST OCCUPANCY EVALUATION Mahargyantari P. Dewi, H. Prabowo, A. R. Fauziah		30



3.	PERFORMANCE OF BRICK WITH SAGO HUSK AS FILLER ON GREEN BUILDING MATERIALS Kurniati Ornam, Masykur Kimsan, La Ode Ngkoimani	48
4.	IDENTIFYING RESISTIVITY VALUE OF CHARCOAL WOOD AND CHARCOAL SKIN FRUITS: ALTERNATIVE SUBSTITUTE RESISTANCE MATERIAL ON RESISTOR Intan Kusumawati	55
5.	PILED EMBANKMENTS FOR ROAD CONSTRUCTION ON SOFT SOIL	61
	Slamet Widodo	
6.	VERNACULAR APPROACH IN PROVIDING PASSIVE HEATING SYSTEM FOR HOUSING IN TROPICAL GAYO HIGH LAND Laina Hilma Sari, Izziah Hasan, Mirza Irwansyah, Erna Meutia	68
7.	OPTICAL PROPERTIES OF 1 X 4 WEAKLY COUPLED FIBERS	78
	Dedi Irawan, H <mark>artono, Rado Yendra, Ismu Kusum</mark> anto	
8.	STUDY OF DWELLING CONSTRUCTION IN WET LAND AREA OF WEST COAST ACEH IN TERMS OF SUSTAINABLE SETTLEMENT (CASE STUDY: SETTLEMENT OF KRUENG TRIPA WATERSHED AREA) Cut Nursaniah, Izziah, Laila Qadri	85
9.	THE USAGE OF NATURAL ZEOLITE AS FILLER ON MIXTURING ASPHALT CONCRETE-BINDER COURSE (AC-BC) MIXTURE AND ASPHALT PEN.60/70 MATERIALS OBSERVED FROM CANTABRO TEST RESULT Alfian Saleh	93
10.	THE STUDY OF GREEN CONSTRUCTION IMPLEMENTATION FOR BUILDING CONSTRUCTION AT BANDUNG Fandy, Anton Soekiman	101
11.	MARSHALL CHARACTERISTICS OF ASPHALTIC CONCRETE UTILIZING REFINE BUTONIC ASPHALT AS AN ASPHALT MODIFIER Miftahul Fauziah, Happy D. Asih	111
12.	PHENOMENOLOGICAL INTERPRETATION OF CONTEMPORARY BAMBOO ARCHITECTURE IN INDONESIA Tony Sofian, Iwan Sudradjat, Baskoro Tedjo	120
13.	FINITE ELEMENT MODELING TO REDUCE THE FAILURE ON REINFORCED CONCRETE WALL UNDER HARD MISSILE IMPACT Faiza, Herman Parung, M.W. Tjaronge, and R. Jamaluddin	132
14.	THE CHARACTERISTIC AND GREEN DESIGN FOR MOTORCYCLE PARKING AT UNIVERSITY Prima J. Romadhona, Nadiani Rachmah	141





routti ii	international Conference on Sustainable Built Environment	
15	. IDENTIFICATION OF COMPOST POTENTIAL ON DEGRADED SOLID WASTE IN TPA PIYUNGAN LANDFILL, BANTUL, YOGYAKARTAAS A STEP OF LANDFILL MANAGEMENT OPTIMIZATION BY USING LANDFILL MINING METHOD Hijrah P. Putra, Marzuko, Kartika. Sari, Tria. Septhiani, Fika. Rahmadani	151
16	. THE ASSESSMENT OF RIVER PERFORMANCE (CASE STUDY: PEPE RIVER, SURAKARTA)	160
	Agus H. Wahyudi , Suripin , Suha <mark>ryanto</mark>	
17	. DEFORMATION ANALYSIS OF PILE FOUNDATION AT SOFT SOIL USING SOFT SOIL 1 CREEP MODEL Edy Purwanto, Hanindya Kusuma A.	73
18	DUCTILITY ESTIMATION OF FIXED-HEAD LATERALLY LOADED PILE: AN ANALYTICAL MODEL M. Teguh , F. Saleh	186
To	pic: Sustainable Resources Management	
1.	IDENTIFICATION OF URBAN SPACE OF RIVERSIDE SETTLEMENT, CASE STUDY : 3-4 ULU PALEMBANG	201
	Tutur Lussetyowati, Edy Sutriyono, Ridhah Taqwa, Widya Fransiska	
2.	DEVELOPMENT OF ENVIRONMENTAL INDICATORS OF WEST JAVA PROVINCE Iwan Juwana, Mohammad R. Sururi	210
3.	WASTE MANAGEMENT OF TOLL ROAD TOWARDS GREEN INFRASTRUCTURE IN INDONESIA A. Caroline Sutandi	221
4.	EARNED VALUE MANAGEMENT AS THE BASIS PROJECT PERFORMANCE MONITORING Ipak Nm. Bukit, Ellida N. Lidya, Lely Masthura	229
5.	THE POTENTIAL USE OF TITANIUM TETRACLORIDE (TICL ₄) AS AN ALTERNATIVE FOR COAGULANT IN TEXTILE WASTEWATER TREATMENT Wulan Safrihatini Atikah, Octianne Djamaluddin, Radyan Manggala	238
6.	EFFECTIVENESS OF RAW WATER POLLUTANTS REMOVAL BY AERATED PLASTIC HONEYCOMB AND QUARTZ SAND BIOFILTERS Suprihatin, Nisa U. Wiryastuti, Mohamad Yani	244
7.	COMPARISON OF GOME 2 METOP-A SATELLITE-BORNE TROPOSPHERIC NO ₂ AND GROUND MEASUREMENTS Arka Romadona Pujaardana, Arie Dipareza Syafei, Rachmat Boedisantoso, Abdu Fadli Assomadi, Joni Hermana, Agus Slamet	254





8.	BIOREMEDIATION OF LEAD [Pb II] CONTAMINATED SEA WATER BY MARINE DIATOM SKELETONEMA COSTATUM Thin Soedarti, L.R. Maryono, Sucipto Hariyanto	263
9.	STUDY OF INTER-COUNTRIES FREIGHT TRANSPORT USING ACTIVITY BASED METHOD (CASE STUDY: WEST KALIMANTAN, INDONESIA – SARAWAK, MALAYSIA) Said Basalim, Firstya. R. Hernovianty	271
10.	TREATMENT OF WASTE WATER OF TEXTILE INDUSTRY BY USING OZONE TECHNOLOGY Kris Tri Basuki, Nurimaniwathy, Agus Purwadi, Dyah Ayu Wulandari	279
11.	DEVELOPMENT OF BIKE-SHARING STATIONS BY APPLYING SMART CARD TECHNOLOGY Sony Sulaksono Wibowo, Widyarini Weningtyas, Yan Syafri Hidayat, Rahmad Wandi Putra	298
12.	PROPOSED IMPLEMENTATION OF COGENERATION REGENERATIVE CYCLE IN SUGAR FACTORY WASTE RECYCLE SYSTEM Gigieh R. Budyanto, Ade T. Iftahaq, Prabowo	306
13.	SUSTAINABLE DEVELOPMENT AT MALAYSIAN LOCAL GOVERNMENTS FROM MANAGEMENT'S VIEW OF THE KNOWLEDGE TRANSFER PRACTICES Sulzakimin Mohamed, Ta Wee. Seow, MD Asrul N. Masrom	314
14.	WORK-TIME WASTE IN THAI CONSTRUCTION ACTIVITIES: A CASE STUDY OF THE CONSTRUCTION PROCESS OF RED BRICK WALL Natchapol Thanakanya, Vachara Peansupap	322
15.	A RELIABILITY STUDY: CISADANE RIVER AS A DOMESTIC WATER SOURCE OF TANGERANG CITY Arya Rezagama, Hariyanto, Mochtar Hadiwidodo	332
16.	THE ANALYSIS OF GEOTECHNICAL AND TOPOGRAPHICAL ASPECTS BASED ON GIS AS INITIAL IDENTIFICATION OF ROAD ALIGNMENT DETERMINATION ON SWAMP AREAS Indrayani, Erika Buchari, Dinar D.A. Putranto, Edward Saleh	351
17.	IMPROVING THE EFFLUENT QUALITY OF PAPER MILL TO SUPPORT A SUSTAINABLE ENVIRONMENT Yusup Setiawan	361
18.	INTEGRATING STANDARD OPERATING PROCEDURES AND OCCUPATIONAL SAFETY FOR COLUMN CONCRETE REINFORCEMENT WORK Adwitya Bhaskara, Fitri Nugraheni	370
19.	PERFORMANCE OXIDATION DITCH ALGAE REACTOR (ODAR) FOR ORGANIC COMPOUND REMOVAL OF GREY WATER	378



Rafika R. Ardhiani, Aulia Ulfah Farahdiba, Any Juliani

20.	DEVELOPING SUSTAINABILITY INDEX MEASUREMENT FOR RECLAMATION AREA						
	Andi Yurnita, Slamet Trisutomo, Mukti Ali						
21.	ANALYSIS OF AMBIENT AIR QUALITY FOR PARAMETERS OF NITROGEN DIOXIDE (NO ₂) TO CERAMIC TILES COMBUSTION PROCESS WITH GAUSS DISPERSION MODELS IN SIDOLUHUR, GODEAN, SLEMAN, D.I YOGYAKARTA Supriyanto, Yonatan Hafid						
22.	RAINWATER HARVESTING APPLICATION IN YOGYAKARTA	406					
	Alva Dian F <mark>adhila, Widodo Brontowiyo</mark> no, Any Juliani						
23.	UTILIZATION OF WATER HYACINTH (EICHHORNIA CRASSIPES) AS PHYTOREMEDIATION PLANT IN VANNAMEI SHRIMP AQUACULTURE SEWAGE TREATMENT Widodo Brontowiyono, Eko Siswoyo, Adam Ikhya A., Erwin K. W.	414					
Toni	c: Sustainable City						
1.	UNDERSTANDING RESIDENT'S PREFERENCES FOR MORE SUSTAINABLE HOUSING DEVELOPMENT IN RIPARIAN MUSI, PALEMBANG Maya Fitri, Sugeng Triyadi, Ismet B. Harun	423					
2.	THE EFFECTS OF RAPID DEVELOPMENT TO THE VISUAL AND IMAGE	433					
57	TRANSFORMATION OF THE HERITAGE AREA (CASE STUDY OF BENTENG KUTO						
	BESAK PALEMBANG) Listen Prima						
3.	FUNCTION OF KANA (CANNA.SP) AS LANDSCAPE PLANTS OF CITY PARK SURABAYA Hamidah	441					
4.	THE RELATIONSHIP BETWEEN SYSTEM ARRANGEMENT OF PUBLIC OPEN SPACE AND LIVABILITY BASED ON USER PERCEPTION IN PUPUTAN BADUNG SQUARE DENPASAR Nurjannah Irma, Saleh Sjamsu Arief, I Made Krisna, Siti Belinda	449					
5.	THE PERCEPTION OF THE HERITAGE VILLAGE IMPACTS DUE TO URBANIZATION: EVIDENCE FROM MALAYSIA Indera Syahrul Mat Radzuan, Yahaya Ahmad	459					
6.	URBAN SCALE MAPPING OF CO CONCENTRATIONS DUE TO THE TRANSPORT SECTOR IN PADANG CITY Vera S. Bachtiar, Taufiq Hidayat, Purnawan, Heru D. Laksono	469					
7.	THE POTENTIAL OF <i>TRANSIT ORIENTED DEVELOPMENT</i> CONCEPT IN REGIONAL CENTER: CASE STUDY IN MALIOBORO DISTRICT, YOGYAKARTA SPECIAL REGION, INDONESIA Arissa Sukardi, Suparwoko	477					



8.	SCENARIO FOR CLIMATE CHANGE MITIGATION FOR TWO BIG CITIES IN CENTRAL JAVA, INDONESIA Evi Gravitiani, Suryanto, Rosalina	488
9.	OVERVIEW OF URBAN QUALITY INDICATORS: TOWARDS A SUSTAINABLE AND SOPHISTICATED URBAN LIFE IN INDONESIA Arif Budi Sholihah	495
10.	CHANGE ANALYSIS OF THE CULTURAL HERITAGE BUILDING FUNCTION AND FACADE IN KOTABARU, YOGYAKARTA, INDONESIA Suparwoko, Nur Ain Lagonah	504
11.	SIMULATION OF GAS TEMPERATURE VARIATION AND DIFFUSION EFFECTS IN AN AIR CORONA DISCHARGE FOR NOx POLLUTION CONTROL Nanang Arif Guntoro	514
12.	BASIC PLANNING OF E-BIKE SHARING SYSTEM AT SEBELAS MARET UNIVERSITY Lydia N.N. Hidayati, Djumari, Fajar S. Handayani	522
13.	THE STUDY OF VULNERABLE ROAD USER FACILITIES IN MAGELANG CITY TOWARDS SUSTAINABLE TRANSPORT SYSTEM E. Puspitasari, W. Maryunani	531
14.	THE DEVELOPMENT OF TOURISM WATERFALL TUMBURANOAREA BASED ON ECOREGION APPROACHES IN KONAWE ISLAND Santi, Kurniati Ornam, Masykur Kimsan, Siti Belinda Amri	541
15.	SUSTAINABLE LANDSCAPE FOR LIVABLE VILLAGES IN MANDAILING (CASE STUDIES: SINGENGU AND HUTAGODANG VILLAGE, NORTH SUMATERA) Cut Nuraini	549
16.	CHARACTERISTICS OF PEAT SOIL IN HOUSING AREA, TANJUNG API-API, BANYUASIN - INDONESIA Andriani, Eddy Ibrahim, Dinar DA Putranto, Azhar Choliq	559
17.	EVALUATION OF MODEL DEVELOPMENT OF URBAN ECO-DRAINAGE IN REGION SCALE Sih Andayani, Bambang E. Yuwono	568
18.	DEVELOPMENT OF BIO-ADSORBENT BASED ON TOFU WASTE TO ADSORB IRON (Fe) AND LEAD (Pb) IN WATER Eko Siswoyo	579
`opi	c: Disaster Management	
1.		86

T

- THE COMPARISON OF FATALITIES DISTRIBUTION ON THE KRB MAP WITH 594 2. FATALITIES DISTRIBUTION ON THE ISOVULCANIC MAP OF THE 2010 MERAPI **ERUPTION** Meassa M. Sari



3.	ANALYSIS	OF	COMMUNITY	CAPACITY	INDICATORS	AND	DISASTER	602
	PREPAREDNESS USING STRUCTURAL EQUATION MODELING							
	Jaka Nugraha, Fitri Nugraheni, Irwan N. Kurniawan							

- 4. SOFT MITIGATION IN AREAS OF REOCCURING NATURAL DISASTERS: FLOODS IN QUEENSLAND, AUSTRALIA AND THE VOLCANIC ERUPTIONS OF MT. MERAPI IN YOGYAKARTA, INDONESIA

 Chittayong Surakitbanharn
- 5. MODELING OF TSUNAMI RUN-UP ONTO SLOPING BEACH AND ITS INTERACTION 622 WITH LOW STRUCTURE

Benazir B. Iska, Radianta Triatmadja, Adam Pamudji Rahardjo, Nur Yuwono

- 6. THE COMPARISON SPATIAL ANALYSIS OF STORM BEHAVIOR IN PENINSULAR
 MALAYSIA DURING MONSON SEASONS BY NEYMAN SCOTT RECTANGULAR PULSE
 MODEL
 Rado Yendra, Dedi Irawan
- 7. TEACHING URBAN RESILIENCE THROUGH COLLABORATIVE CONSTRUCTION: THE EXPERIENCE OF ODENSE 3 PROJECT IN JAPAN

 Wiryono Raharjo
- 8. EVALUATION OF DISASTER PREPAREDNESS LEVEL OF AN OIL COMPANY (CASE STUDY OF PERTAMINA REFINERY UNIT IN WEST PAPUA PROVINCE,INDONESIA)

 Sarwidi, Rama B. Perkasa, Fitri Nugraheni
- 9. SEISMIC VULNERABILITY ASSESSMENT OF HOSPITAL BUILDING AS CRITICAL 660 FACILITIES IN NORTH SIDE OF JAKARTA USING HAZUS METHOD Yunalia Muntafi





EDITORIAL

Nowadays, green infrastructure has been flourishing extensively worldwide so as to improve the quality of life. As what is seen from the conference, there are countless number of presented papers focused on this issue. The widely studied green material to develop construction by covering the variation of filler on the building and pavement, the usage of wood, fiber usage, GGBS and slag in concrete, etc is one of the examples of such studies on green infrastructure. In addition, some studies also address the aspect of methodology, by aiming to shed light on design and assessments of green infrastructure.

Besides green infrastructure, the management of sustainable resources also has considerable significance to preserve the wellness of the earth. There were 35 papers written about the result of the optimization of some management methods for environmentally friendly surroundings with few papers aimed to focus on the aspect of assessment. Some of the papers presented the result of the management of waste, reservoir, raw water, and standard operating procedure. Hence, the material to support the management was also discussed from several types of chemicals particularly.

Those researches were expected to create sustainable city in some parts of the world extending from Some issues such as sustainable housing development and the activities that support sustainable city have been presented in this conference. Moreover, some breakthrough concepts to create a green city have also been developed such as sustainable transport system, climate change mitigation, and sustainable city planning. Altogether were expected to succeed the sustainable building and environment for sophisticated life.

Furthermore, there was also a theme of disaster management since Indonesia is renowned as prone to disaster areas and that many other parts of the world are also experiencing the same thing. These researches extend from disaster preparedness and the application of some tools for disaster resilience, and the disaster simulation to find the worst possible effect which may take place. These researches proposed people sense of belonging of the disaster and mitigation in areas of disaster. Lastly, the evaluations for all of which were conducted to know the best strategy to manage the disaster.

During discussion in the plenary session, some questions such as how to prevent and minimize the impact of disaster, what should be done to deal with crisis of energy, what is the most suitable water treatment technology in Indonesia and what will Kalimantan do to protect rivers were addressed to the keynote speakers. Answering these questions, Professor Dolores mentioned that people in Indonesia should get an insight and understanding on the potency of natural hazard in their area. Professor Fujii said that Indonesia should consider about microhydro energy for power plant. Furthermore, Mr. Surachman suggested that biomass energy will provide us with huge benefit because the sources were abundant in this country. Prof. Boving from Rhode Island University who was totally familiar with the condtion in Indonesia proposed the filtration system for water supply. In the parallel session, the discusion was well organized by each moderator in four different rooms based on each topic. The participant from Thailand was interested on the development of bioadsorbent prepared from tofu waste in Indonesia. Questions such as what was the recent condition about green infrastructure in Indonesia, the impact of rapid land use change, the potencial energy sources, etc were discussed extensively.






KEYNOTE SPEAKERS' ABSTRACT

THE RESILIENCE IMPERATIVE: STRENGTHENING COMMUNITY RESILIENCE THROUGH TRAINING

Dolores Foley University of Hawaii at Manoa, USA

Abstract: Earthquakes, hurricanes, tsunamis etc. have all caused enormous damage and suffering over the last century. As we consider climate change, sea level rise but also the movement of populations to coastal areas and hazard zones the combination of factors – geologic, climatic, environmental, social and economic-threatens an unprecedented risk of the loss of lives, homes, jobs, and businesses. In this time of great environmental and economic uncertainty, resilience has emerged as a key aspiration in long-range development and planning. The argument is, if communities are to become resilient and minimize the cost of disasters in terms of lives and economic losses they will first need to develop a culture of preparedness and adaptation. Communities need to have access to the planning tools, data, and resources to learn and adapt to changing climate and environments.







STORMWATER RUN-OFF AND NONPOINT SOURCE POLLUTION MANAGEMENT WITH TREE FILTERS INRHODE ISLAND, USA

Thomas Boving

Dept. of Geosciences, Dept. of Civil and Environmental Engineering, University of Rhode Island, USA

Laura Schifman

Dept. of Civil and Environmental Engineering, University of Rhode Island, USA

Abstract: Stormwater runoff is one of the main contributors of non-point source pollution in many countries, introducing high loads of contaminants into surface water bodies and posing a threat to the ecosystem and human health. In the United States, stormwater treatment standards have not yet been introduced on a federal level, however increasingly more states require at least primary treatment of stormwater runoff to prevent water quality degradation of surface waters. Rhode Island, located in the Northeastern part of the U.S., has set contaminant reduction standards for stormwater runoff that has been treated by structural best management practices (BMP). Those standards require nutrients (nitrate and phosphate) to be reduced by 30%, pathogens by 60%, and total suspended solids by 85%. As BMP performance depends on geographical location and climate, and the Northeastern United States experiences broad ranges of temperatures throughout the year along with long intermittent periods between precipitation events, stormwater treatment can be challenging. At the University of Rhode Island, a Stormwater Technology Demonstration facility is used for testing BMP practices under real world conditions. Besides permeable pavement, bioswales and retention BMPs, the demonstration facility also features tree filter (TF) technology.

In a year-long field study, two tree filters were evaluated: a conventional unit (CTF) with sand/shale mix as filter media, and a modified tree filter (ITF) with an added layer of red cedar wood chips amended with 3-(trihydroxysilyl)propyldimethyloctadecyl ammonium chloride. Based on laboratory tests, the addition of amended wood enhances the removal of bacteria, dissolved heavy metals and petroleum hydrocarbons. Twelve constituents were analyzed (pH, specific conductance, chloride, nitrate, phosphate, total suspended solids, copper, nickel, lead, zinc, and a special focus on Escherichia coli and polycyclic aromatic hydrocarbons). Both tree filters met or outperformed Rl's standards for bacteria removal (60%) and TSS (85%), making them a good choice for BMP use in this climate. Total suspended solids, E. coli, PAHs, nitrate, and phosphate removal is higher in ITF. A controlled field scale tracer test using E. coli confirmed these results. The results suggest that Tree Filter BMPs are a robust stormwater treatment technology that can be easily integrated into stormwater management plans inside and outside the study area.





EXPLORING AND DEVELOPING THE POTENTIAL OF RIVERS IN BANJARMASIN CITY

Ibnu Sina Mayor of Banjarmasin, Indonesia

Abstarct: Since several years ago, the existence of rivers in Banjarmasin is well retained in order to support the social cultural and economic of public in the city. River transportation for daily life and activities along the river in Banjarmasin makes this city become very unique and gives benefit for tourism. In the other hand, the presence of the rivers is also urgent and most effective for flood control. Therefore, as a city for trading and service, in the future Banjarmasin is expected to become a comfortable city which is free of flood. In addition, the development of the tourism sector is expected to contribute significantly for the economy of the city.

Exploring the potencial and uniqueness of Banjarmasin city is important for the growth and development of the city. Having called as "River City", it is necessary that the rivers in Banjarmasin to have an added value and become a strategic thing for Banjarmasin. Thus, this is unseparable from the socio cultural as well as the economic life of the residents of Banjarmasin city as the character and identity of Banjarmasin.

At the present time, approximately 75% of the area in Banjarmasin city is covered by the residential buildings, office, service trade building, etc. This makes many of the rivers become not functioning as they should. The surface of the rivers is affected by the tide with the height difference of 2 meter and this is worsen by the flood coming from Barito and Martapura rivers as well as the intense rainfall which is 300 milimeter. The location of the city, which is in the down stream area of the rivers, makes the city become prone to flooding when those 3 above phenomena occur simultaneously.

Due to the rapid development and the characteristic of the city area, flood becomes a latent threat that must be wary of. The programs for disaster mitigation must be arranged and well prepared to face this.

However, until today, there are 102 rivers which are still functioning well and can be used as the water sources for the residents. So, the role and function of rivers as the basis for the development of the city is of importance. The arrangement of the riverbanks and the management of the rivers must be conducted by the city organizer and the residents of the city because the rivers have an important role and function to support the life of the city residents.





Masahiko Fuiii

ASSESSMENT OF THE POTENTIAL FOR DEVELOPING MINI/MICRO HYDROPOWER: A CASE STUDY IN BEPPU CITY, JAPAN

Soichiro Tanabe
Makoto Yamada
Taketoshi Mishima
Takahiro Sawadate
Shinji Ohsawa
Faculty of Environmental Earth Science, Hokkaido University, Japan

Abstract: This study aims to provide quantitative guidelines necessary for capacity building among various stakeholders to minimize water-energy conflicts in developing mini/micro hydropower (MHP), a baseload renewable energy that is socially necessary, not only to reduce greenhouse gas emissions but also to vitalize local economies by creating jobs related to MHP operations. Using three different methods to calculate river water levels and discharges, the potential power generation by MHP was estimated for six rivers in Beppu City, Japan. Our results show that installation of MHP facilities can provide stable electricity for tens to hundreds of residents in local communities along the rivers. However, the results are based on the existing infrastructure, such as roads and electric lines. This means that greater potential is expected if additional infrastructures are built to develop further MHP facilities. On the other hand, in Japan, river laws and irrigation right regulations currently restrict new entry by actors to rivers. Therefore, to further develop MHP, deregulation of the existing laws relevant to rivers and further incentives for business owners of MHP facilities, along with the current feed-in tariffs, are required. Meanwhile, possible influences to riverine ecosystems when installing new MHP facilities should also be taken into account.

Keywords: Generated power; Hot spring water; Mini/micro hydropower (MHP); Riverine ecosystem





BIOMASS AS A MODEL OF SUSTAINABLE RENEWABLE ENERGY AS A SUBSTITUTE FOR COAL-BASED THE COMMUNITY ECONOMY

Surahman

Waskita Sangir Energy, Indonesia

Abstract: According EBTKE (2015) Program of the National Electricity 35,000 MW is a government project to build power plants reached 35,000 Mega Watt up to 35 thousand MW 2019. The program aims to meet the demand of Indonesia electricity needs from *Sabang* to *Merauke*. This will certainly have a significant impact on economic growth outside Java, which was previously a shortage of electricity supply.

The Government has committed to realize the supply of electricity of 35,000 Megawatts (MW) within a period of 5 years (2014-2019). Throughout the next 5 years, the government and private together with PLN will build 109 plants; each comprising 35 projects by PLN with a total capacity of 10 681 MW and 74 projects by private / Independent Power Producer (IPP) with a total capacity of 25 904 MW. And in 2015 the company will sign a contract of 10 thousand MW power plants as the first phase of the total 35 thousand MW.

With a projected economic growth of 6% up to 7% per year, additional electricity capacity in the country needs at least 7,000 megawatts (MW) per year. That is, in the next five years, 35,000 MW additional capacities becomes a necessity. The need for 35 thousand MW has been confirmed in the document of the National Medium Term Development Plan (RPJMN) 2015-2019.

The average energy consumption of 199 TWh, while production of 228 TWh of electrical power (only *PLN* and *IPP*). National electrification ratio stood at 84.35%. The electricity consumption for household categories, *namely by 43%*, *followed by industry at 33%*, 18% and last business 6% public.

As for the energy mix to procure electricity mix are as follows: coal 52%,gas 24%, fuel oil 11.7%, water 6.4%, geothermal 4.4% and other energy amounted to 0.4%, thus the use of coal in Indonesia is still very large although Coal belongs to the group of renewable energy instead of (Non renewable energy).

The use of coal for electricity demand in Indonesia is still very large, while the power plant using coal is not included in a group of environmentally friendly energy due to the impact of burning coal is likely to cause environmental pollution such as air pollution, resulting in acid rain and can damage marine life due to damage coral reef ecosystems.

Based on the above conditions it is necessary to find a replacement for environmentally friendly fuels to be used as a substitute for coal which has a heat rate (heat content) is nearly equal to coal, which is about 4800 up to 6500 kilo calories.

One of the natural resources which are environmentally friendly and renewable is an organic fuel that contains carbon, so that the resulting combustion only emit *CO2* that can be neutralized and absorbed by plants and vegetation in the vicinity.

One of the plants that have the potential of biomass energy has a heat rate is high and can be used for other needs is *Calliandra red flower* (*Calliandra colothyrsus*), because in addition to the stem used for biomass energy, the leaves can be used as animal feed (goat / cow) because has a high protein and interest to the needs of beekeeping (*calliandra honey*).

When all the land as "idle" throughout Indonesia Calliandra planted by the people, the people will benefit a lot for planting only once until the age of 25-30 next years .Thus it can be said *Calliandra Colothyrsus* Investment based democratic economy, because then it is the people who will be as owners of "mine" coal substitutes, during which only are owned by the large investors.





HARMFUL CYANOBACTERIA AND THEIR METABOLITES IN DRINKING WATER SYSTEMS: BIOMOLECULAR MONITORING AND OXIDATION TREATMENT

Tsair-Fuh Lin Yi-Ting Chiu Yi-Ting Chen Che-Wei Chang Yi-Hsuan Chen Hsiu-Lien Lin

Department of Environmental Engineering, National Cheng Kung University, Taiwan

Abstract: Presence of cyanobacteria in lake and reservoirs has become an important issue to public water supply in many countries. Many cyanobacteria may produce harmful cyanotoxins and/or taste and odor compounds, posing potential risk to human and diminishing the aesthetic value of the water. Therefore, monitoring and treatment of cyanobacteria and their metabolites are important for safeguard the quality of drinking water. In this presentation, two topics will be covered: (1) biomelcular monitoring of toxin and taste and odor producing cyanobacteria in reservoirs, and (2) modeling the oxidation treatment of harmful cyanobacteria and their metabolites in water.

A qPCR based biomolecular monitoring approach was developed for monitoring the producers of five cyanotoxins and T&O compounds, including microcystin, cylindrospermopsin, saxitoxin, geosmin, and 2-MIB in reservoirs. The approach has been applied in *on-site* monitoring of 38 reservoirs in Taiwan for more than 4 years. Field results suggested that the abundance of the producing genes correlates with corresponding metabolites reasonably well. Since the developed method is able to be conducted *on-site* and the results can be obtained within three hours, the biomolecular monitoring scheme may provide timely and useful information for water utilities and reservoir managers to justify the risk of the cyanotoxin and T&O compounds in their source waters and to trigger appropriate response actions.

Two typical oxidants used in water treatment plants and/or reservoirs for the control of cyanobacteria, including hydrogen peroxide and chlorine, are studied and modelled for their effect of on cell integrity and destruction of metabolites during the oxidation processes. Sequential kinetic models were successfully developed to simulate the concentrations change of chorine decay, radical production, and cell rupture during chlorination and hydrogen peroxide oxidation. The model also successfully predicts the degradation of microcystin during the oxidation processes. The developed models may provide a simple means to estimate the dose and contact time required when oxidants are used for the control of cyanobacteria in water treatment plants and reservoirs.





RESTORATION OF URBAN RIVER AREA BASED ON THE M3K CONCEPT

Widodo Brontowiyono

Environmental Engineering Department, FCEP, Universitas Islam Indonesia

Abstract: Urban problems have become more complex as time goes by. Urbanization rate seems uncontrolled, and population growth is augmenting. It implies that the need for land and living space is growing. On the other hand, land availability has remained static or even declined. It means there has been a deficit or crisis of environmental carrying capacity. One of the areas that become the object of urban problem complexity is the riverbank. This area should ideally function as green open space, but it has in fact been covered by settlements that go run-down. As a data sample, the area of slums in Yogyakarta City has reached 278.7 hectare or 8.17% of the city extent. Approximately 90% of the slums are located along riverbanks. Therefore, riverbank area requires a restoration effort to revitalize its function and condition in accordance with the principles of conservation as well as humanity. The proposed concept was then M3K (Mundur, Munggah, Madhep Kali) or retreating settlements from the riverbank, building vertical settlements, and facing towards the river. The implementation of M3K should be integrated and sustainable. The harmony among related aspects and sectors is performed through systematic and participative phasing. The affected community ought to be involved from the start during the identification and stocktaking, economic study of the land, as well as area planning. This program can be optimized, for example, through a Community-Based Environmental Planning (PLBK) that is preceded by the establishment of Action Plan for Settlement Environmental Planning (RTLP). In addition, the leaders' political commitment is required in order to optimize the implementation of this M3K-based program.

